CLAIMS:

What is claimed is:

- 1 1. A method of performing an instant copy of data,
- 2 comprising:
- 3 receiving a write operation to a data location in
- 4 one of an initial physical storage area and an additional
- 5 physical storage area;
- 6 performing an instant copy operation on the data
- 7 location; and
- 8 writing new data to the data location in accordance
- 9 with the write operation, wherein the instant copy
- 10 operation includes generating a pointer to one of the
- 11 new data and original data in the data location.
 - 1 2. The method of claim 1, wherein the data location is
 - 2 in the initial physical storage area, and wherein the
 - 3 instant copy operation includes copying a portion of
 - 4 original data from the data location in the initial
 - 5 physical storage area to a second data location in the
 - 6 additional physical storage area in response to receiving
 - 7 the write operation.
 - 1 3. The method of claim 2, wherein the pointer points to
 - 2 the portion of original data copied to the additional
 - 3 physical storage area.

- 1 4. The method of claim 1, wherein the data location is
- 2 in the additional physical storage area.
- 1 5. The method of claim 4, wherein the instant copy
- 2 operation includes not copying a portion of original data
- 3 from the initial physical storage area to the additional
- 4 physical storage area.
- 1 6. The method of claim 4, wherein the pointer points to
- 2 new data written to the data location in the additional
- 3 physical storage area.
- 1 7. The method of claim 1, wherein the initial physical
- 2 storage area is a variable dynamically changeable mapping
- 3 scheme storage area.
- 1 8. The method of claim 2, wherein the portion of
- 2 original data has a size that is different with respect
- 3 to other portions of data in the initial physical storage
- 4 area.
- 1 9. The method of claim 1, wherein the pointer is
- 2 generated in a pointer table of meta-data associated with
- 3 the additional physical storage area.
- 1 10. The method of claim 8, further comprising storing
- 2 the pointer and an associated size of the portion of
- 3 original data in a meta-data data structure.

- 1 11. The method of claim 1, wherein the pointer is stored
- 2 in a pointer table of meta-data having a plurality of
- 3 pointers, and wherein the plurality of pointers include a
- 4 pair of pointers representing a range of pointers that
- 5 point to portions of original data that have not been
- 6 changed by a write operation.
- 1 12. A computer program product in a computer
- 2 readable medium for performing an instant copy of data,
- 3 comprising:
- 4 first instructions for receiving a write operation
- 5 to a data location in one of an initial physical storage
- 6 area and an additional physical storage area;
- 7 second instructions for performing an instant copy
- 8 operation on the data location; and
- 9 third instructions for writing new data to the data
- 10 location in accordance with the write operation, wherein
- 11 the instant copy operation includes generating a pointer
- 12 to one of the new data and original data in the data
- 13 location.
- 1 13. The computer program product of claim 12, wherein
- 2 the data location is in the initial physical storage
- 3 area, and wherein the second instructions for performing
- 4 an instant copy operation include instructions for
- 5 copying a portion of original data from the data location
- 6 in the initial physical storage area to a second data

- 7 location in the additional physical storage area in
- 8 response to receiving the write operation.
- 1 14. The computer program product of claim 13, wherein
- 2 the pointer points to the portion of original data copied
- 3 to the additional physical storage area.
- 1 15. The computer program product of claim 12, wherein
- 2 the data location is in the additional physical storage
- 3 area.
- 1 16. The computer program product of claim 15, wherein
- 2 the second instructions for performing the instant copy
- 3 operation include instructions for not copying a portion
- 4 of original data from the initial physical storage area
- 5 to the additional physical storage area.
- 1 17. The computer program product of claim 15, wherein
- 2 the pointer points to new data written to the data
- 3 location in the additional physical storage area.
- 1 18. The computer program product of claim 12, wherein
- 2 the initial physical storage area is a variable
- 3 dynamically changeable mapping scheme storage area.
- 1 19. The computer program product of claim 13, wherein
- 2 the portion of original data has a size that is different

- 3 with respect to other portions of data in the initial
- 4 physical storage area.
- 1 20. The computer program product of claim 12, wherein
- 2 the second instructions for performing the instant copy
- 3 operation include instructions for generating the pointer
- 4 in a pointer table of meta-data associated with the
- 5 additional physical storage area.
- 1 21. The computer program product of claim 19, wherein
- 2 the second instructions for performing the instant copy
- 3 operation include instructions for storing the pointer
- 4 and an associated size of the portion of original data in
- a meta-data data structure.
- 1 22. The computer program product of claim 12, wherein
- 2 the second instructions for performing the instant copy
- 3 operation include instructions for storing the pointer in
- 4 a pointer table of meta-data having a plurality of
- 5 pointers, and wherein the plurality of pointers include a
- 6 pair of pointers representing a range of pointers that
- 7 point to portions of original data that have not been
- 8 changed by a write operation.
- 1 23. An apparatus for performing an instant copy of data,
- 2 comprising:

- means for receiving a write operation to a data
- 4 location in one of an initial physical storage area and
- 5 an additional physical storage area;
- 6 means for performing an instant copy operation on
- 7 the data location; and
- means for writing new data to the data location in
- 9 accordance with the write operation, wherein the instant
- 10 copy operation includes generating a pointer to one of
- 11 the new data and original data in the data location.